

IS : 2720 (Part XXIII) - 1976

Indian Standard

METHODS OF TEST FOR SOILS

PART XXIII DETERMINATION OF CALCIUM CARBONATE

(*First Revision*)

Second Reprint JUNE 1989

UDC 624'131'41 : 543 : 546'41'264

© *Copyright* 1976

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Indian Standard

METHODS OF TEST FOR SOILS

PART XXIII DETERMINATION OF CALCIUM CARBONATE

(First Revision)

Soil Engineering Sectional Committee, BDC 23

Chairman

PROF DINESH MOHAN

Representing

Central Building Research Institute (CSIR),
Roorkee

Members

PROF ALAM SINGH

University of Jodhpur, Jodhpur

LT-COL AVTAR SINGH

Engineer-in-Chief's Branch, Army Headquarters

MAJ R. R. SUDHINDRA (*Alternate*)

DR A. BANERJEE

Cementation Co Ltd, Bombay

SHRI S. GUPTA (*Alternate*)

SHRI K. N. DADINA

In personal capacity (*P-820, New Alipore, Calcutta*)

SHRI A. G. DASTIDAR

In personal capacity [*Inter-state Equipment (P) Ltd, 3/1, Loudon Street, Calcutta*]

SHRI R. L. DEWAN

Irrigation Research Institute, Khagaul, Patna

DR G. S. DHILLON

Indian Geotechnical Society, New Delhi

DIRECTOR (CSMRS)

Central Water Commission, New Delhi

DEPUTY DIRECTOR (CSMRS) (*Alternate*)

DIRECTOR

Indian Institute of Technology, New Delhi

DR SHASHI K. GULHATI (*Alternate*)

DIRECTOR

Irrigation & Power Research Institute, Amritsar

RESEARCH OFFICER (GEOTECHNICAL

SECTION) (*Alternate*)

SHRI A. H. DIVANJI

Rodio Foundation Engineering Ltd; and Hazarat
& Co, Bombay

SHRI A. N. JANGLE (*Alternate*)

SHRI V. G. HEGDE

National Buildings Organization, New Delhi

SHRI S. H. BALCHANDANI (*Alternate*)

JOINT DIRECTOR RESEARCH (FE), Railway Board (Ministry of Railways)

RDSO

DEPUTY DIRECTOR RESEARCH,

SOIL MECHANICS, RDSO (*Alternate*)

(Continued on page 2)

© Copyright 1976

BUREAU OF INDIAN STANDARDS

This publication is protected under the *Indian Copyright Act (XIV of 1957)* and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
SHRI O. P. MALHOTRA	Public Works Department, Government of Punjab, Patiala
SHRI J. S. MARYA	Roads Wing (Ministry of Shipping & Transport)
SHRI N. SEN <i>(Alternate)</i>	Public Works Department, Government of Uttar Pradesh, Lucknow
SHRI G. D. MATHUR	
SHRI D. C. CHATURVEDI <i>(Alternate)</i>	Concrete Association of India, Bombay
SHRI M. A. MEHTA	
SHRI T. M. MENON <i>(Alternate)</i>	Central Road Research Institute (CSIR), New Delhi
SHRI T. K. NATARAJAN	Hindustan Construction Co Ltd, Bombay
REPRESENTATIVE	Buildings & Roads Research Laboratory, Public Works Department, Government of Punjab, Chandigarh
RESEARCH OFFICER	Engineering Research Laboratory, Hyderabad
SHRI K. R. SAXENA	Central Board of Irrigation & Power, New Delhi
SECRETARY	
DEPUTY SECRETARY <i>(Alternate)</i>	University of Roorkee, Roorkee
DR SHAMSHER PRAKASH	Irrigation Research Institute, Roorkee
SHRI H. D. SHARMA	Concrete & Soil Research Laboratory, Public Works Department, Government of Tamil Nadu, Madras
SUPERINTENDING ENGINEER	
(PLANNING & DESIGN CIRCLE)	
EXECUTIVE ENGINEER (INCHARGE, SOIL MECHANICS & RESEARCH DIVISION) <i>(Alternate)</i>	
SHRI C. G. SWAMINATHAN	Institution of Engineers (India), Calcutta
SHRI H. C. VERMA	All India Instrument Manufacturers & Dealers Association, Bombay
SHRI V. K. VASUDEVAN <i>(Alternate)</i>	
SHRI D. AJITHA SIMHA, Director (Civ Engg)	Director General, ISI (<i>Ex-officio Member</i>)

Secretary

SHRI G. RAMAN
Deputy Director (Civ Engg), ISI

Soil Testing Procedures and Equipment Subcommittee, BDC 23 : 3

<i>Convener</i>	
PROF ALAM SINGH	University of Jodhpur, Jodhpur
<i>Members</i>	
SHRI AMAR SINGH	Central Building Research Institute (CSIR), Roorkee
LT-COL AVTAR SINGH	Engineer-in-Chief's Branch, Army Headquarters
MAJ R. R. SUDHINDRA <i>(Alternate)</i>	Beas Dams Project, Talwara Township
SHRI N. K. BERRY	
SHRI K. S. PREM <i>(Alternate)</i>	

(Continued on page 6)

Indian Standard

METHODS OF TEST FOR SOILS

PART XXIII DETERMINATION OF CALCIUM CARBONATE

(First Revision)

0. FOREWORD

0.1 This Indian Standard (Part XXIII) (First Revision) was adopted by the Indian Standards Institution on 16 February 1976, after the draft finalized by the Soil Engineering Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 With a view to establish uniform procedures for the determination of different characteristics of soils and also for facilitating comparative studies of the results, the Indian Standards Institution has published ' Indian Standard methods of test for soils ' (IS : 2720) in parts. So far 38 parts of this standard have been published. This part (Part XXIII) deals with the method of test for determination of calcium carbonate content in soils for civil engineering purposes. The calcium carbonate content of soil affects the engineering properties of the soils and is of interest to the engineer.

0.2.1 This standard (Part XXIII) was first published in 1966. In the present revision acetic acid has been replaced by hydrochloric acid which is comparatively less costly. The factor 0.074 used for the calculation in the original method has been omitted as its effect on the ultimate result is insignificant. Blank titration has also been omitted to save time. It is considered that the accuracy given by this method is sufficient for interpretation of engineering properties of soils.

0.3 In the formulation of this standard due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country.

0.4 In reporting the results of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS : 2-1960*.

*Rules for rounding off numerical values. (revised).

1. SCOPE

1.1 This standard (Part XXIII) lays down the method for rapid determination of the calcium carbonate content in soil.

2. APPARATUS

2.1 Burette — 50 ml, conforming to IS : 1997-1967*.

2.2 Conical Flask — 500 ml capacity.

2.3 Glass Funnel — 75 mm diameter.

2.4 Filter Paper — Whatman No. 40 or equivalent, of 12.5 cm diameter.

3. REAGENTS AND INDICATOR

3.1 Sodium Hydroxide Solution — 1 N. Dissolve slightly more than 40 g sodium hydroxide in 1 litre of distilled water and standardize against N hydrazine sulphate to get exact strength, using methyl red as indicator.

3.2 Hydrochloric Acid — 1 N. Dilute 175 ml of concentrated hydrochloric acid to 2 litres and standardize it against sodium hydroxide solution prepared as in 3.1 and determine the exact factor (strength) if the solution is not exactly 1 N.

3.3 Bromothymol Blue Indicator

4. PROCEDURE

4.1 Weigh 5 g (*see* Note 1) of soil accurately and transfer to a 150-ml beaker and add 100 ml of hydrochloric acid solution prepared as in 3.2 (*see* Notes 2 and 3). Cover with a watch-glass and stir vigorously several times for 1 hour. After settling, pipette off 20 ml of the supernatant liquid and take into a conical flask; add 6 to 8 drops of bromothymol blue indicator and titrate with sodium hydroxide solution (*see* Notes 2 and 3) prepared as in 3.1. With some soils, the colour of the indicator may fade as the end-point is approached. In such cases, add more indicator and complete the titration.

NOTE 1 — First take about 1 g of soil in a test tube and pour a few drops of concentrated hydrochloric acid. Note the intensity of reaction:

- a) For vigorous reaction, take only 2.5 g of soil and multiply the result by 2.
- b) In case of moderate reaction, follow the above procedure.
- c) If there is feeble reaction, take 10 g of soil and divide the result by 2.

NOTE 2 — Accurate weighing and standardization of hydrochloric acid and sodium hydroxide are important for correct results.

NOTE 3 — Intermittent checking of the strength of stock solution is necessary.

*Specification for burettes (*first revision*).

5. CALCULATION

5.1 One millilitre of 1N hydrochloric acid is equivalent to 0.05 g of calcium carbonate present in the soil sample.

$$\begin{aligned} \text{Carbonate present in soil,} &= \left(\frac{\text{Volume of 1N hydro-}}{\text{5 g of soil}} \times 0.05 \times \frac{100}{5} \right) \\ \text{percent by mass} &= \text{Volume of hydrochloric acid consumed} \\ &= \text{for 5 g of soil.} \end{aligned}$$

Details are shown in the example given below.

Example:

$$1 \text{ ml of N hydrochloric acid} = 0.05 \text{ g of calcium carbonate}$$

$$\text{Strength of NaOH} = 0.93 \text{ N}$$

$$\text{Strength of HCl} = 1.023 \text{ N}$$

$$\text{Quantity of NaOH used in titration} = 19.0 \text{ ml}$$

$$\begin{aligned} \text{Therefore, quantity of 1N} & \\ \text{HCl added in 5 g of soil} &= 100 \times 1.023 \text{ ml} \\ &= 102.3 \text{ ml} \end{aligned}$$

$$\begin{aligned} \text{Therefore, quantity of 1N} & \\ \text{NaOH required for titra-} & \\ \text{tion of 20 ml of the} & \\ \text{extractant} &= 19.0 \times 0.93 \\ &= 17.67 \end{aligned}$$

$$\begin{aligned} \text{Therefore, for 100 ml ex-} & \\ \text{tractant} &= 17.67 \times 5 \\ &= 88.35 \end{aligned}$$

$$\begin{aligned} \text{Therefore, 1N HCl consum-} & \\ \text{ed by 5 g of soil} &= (102.30 - 88.35) \\ &= 13.95 \end{aligned}$$

$$\begin{aligned} \text{Therefore, percentage of} & \\ \text{CaCO}_3 &= \frac{13.95 \times 0.05 \times 100}{5} \\ &= 13.95 \end{aligned}$$

$$\text{Thus, percentage of CaCO}_3 = \text{1N HCl consumed by 5 g of soil.}$$

(Continued from page 2)

<i>Members</i>	<i>Representing</i>
DR R. K. BHANDARI	Central Road Research Institute (CSIR), New Delhi
SHRI T. N. BHARGAWA	Roads Wing (Ministry of Shipping & Transport)
SHRI A. S. BISHNOI (<i>Alternate</i>)	
DR A. K. CHATTERJEE	Public Works Department, Government of Uttar Pradesh, Lucknow
DR B. L. DHAWAN (<i>Alternate</i>)	
SHRI R. L. DEWAN	Irrigation Research Institute, Khagaul, Patna
DEPUTY DIRECTOR RESEARCH (SOIL MECHANICS)-I	Railway Board (Ministry of Railways)
ASSISTANT DIRECTOR RESEARCH (SOIL MECHANICS)-I (<i>Alternate</i>)	
DIRECTOR (CSMRS)	Central Water Commission, New Delhi
DEPUTY DIRECTOR (CSMRS) (<i>Alternate</i>)	
SHRI H. K. GUHA	Geologists' Syndicate Pvt Ltd, Calcutta
SHRI N. N. BHATTACHARYA (<i>Alternate</i>)	
DR SHASHI K. GULHATI	Indian Institute of Technology, New Delhi
SHRI R. K. JAIN	United Technical Consultants Pvt Ltd, New Delhi
DR P. K. DE (<i>Alternate</i>)	
SHRI O. P. MALHOTRA	Buildings & Roads Research Laboratory, Public Works Department, Government of Punjab, Chandigarh
DIRECTOR (<i>Alternate</i>)	
DR V. V. S. RAO	In personal capacity (F-24, Green Park, New Delhi)
SHRI H. C. VERMA	Associated Instrument Manufacturers (India) Pvt Ltd, New Delhi
PROF T. S. NAGARAJ (<i>Alternate</i>)	

INDIAN STANDARDS

ON

METHODS OF TEST FOR SOILS

IS:

2720 Methods of test for soils:

- Part I-1972 Preparation of dry soil samples for various tests (*first revision*)
- Part II-1973 Determination of water content (*second revision*)
- Part III-1964 Determination of specific gravity
- Part IV-1975 Grain size analysis (*first revision*)
- Part V-1970 Determination of liquid and plastic limits (*first revision*)
- Part VI-1972 Determination of shrinkage factors (*first revision*)
- Part VII-1974 Determination of moisture content-dry density relation using light compaction (*first revision*)
- Part VIII-1974 Determination of moisture content-dry density relation using heavy compaction (*first revision*)
- Part IX-1971 Determination of dry density-moisture content relation by constant weight of soil method
- Part X-1973 Determination of unconfined compressive strength (*first revision*)
- Part XI-1971 Determination of shear strength parameters of a specimen tested in unconsolidated undrained triaxial compression without the measurement of pore water pressure
- Part XII-1975 Determination of shear strength parameters of soil from consolidated undrained triaxial test with measurement of pore water pressure
- Part XIII-1972 Direct shear test (*first revision*)
- Part XIV-1968 Determination of density index (relative density) of cohesionless soils
- Part XV-1965 Determination of consolidation properties
- Part XVI-1965 Laboratory determination of CBR
- Part XVII-1966 Laboratory determination permeability
- Part XVIII-1964 Determination of field moisture equivalent
- Part XIX-1964 Determination of centrifuge moisture equivalent
- Part XX-1966 Determination of linear shrinkage
- Part XXI-1965 Determination of total soluble solids
- Part XXII-1972 Determination of organic matter (*first revision*)
- Part XXIII-1976 Determination of calcium carbonate (*first revision*)
- Part XXIV-1976 Determination of cation exchange capacity (*first revision*)
- Part XXV-1967 Determination of silica sesquioxide ratio
- Part XXVI-1973 Determination of pH value (*first revision*)
- Part XXVII-1968 Determination of total soluble sulphates
- Part XXVIII-1974 Determination of dry density of soils, in-place, by the sand replacement method (*first revision*)
- Part XXIX-1975 Determination of dry density of soils in-place by the core cutter method (*first revision*)

IS:

2720 Methods of test for soils:

- Part XXX-1968 Laboratory vane shear test
- Part XXXI-1969 Field determination of California bearing ratio
- Part XXXII-1970 North dakota cone test
- Part XXXIII-1971 Determination of density in-place by the ring and water replacement method
- Part XXXIV-1972 Determination of density of soil in-place by the rubber-balloon method
- Part XXXV-1974 Measurement of negative pore water pressure
- Part XXXVI-1975 Laboratory determination of permeability of granular soil (constant head)
- Part XXXVII-1976 Determination of sand equivalent value of soils and fine aggregates
- Part XXXVIII-1976 Compaction control test (Hilf method)

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 331 01 31, 331 13 75

Telegrams : Manaksanstha

(Common to all offices)

Regional Offices :

Telephone

*Western : Manakalaya, E9 MIDC, Marol, Andheri (East),
BOMBAY 400093 6 32 92 95

†Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road,
Maniktola, CALCUTTA 700054 36 24 99

Southern : C. I. T. Campus, MADRAS 600113 41 24 42

Northern : SCO 445-446, Sector 35-C,
CHANDIGARH 160036 2 18 43
3 16 41

Branch Offices :

'Pushpak' Nurmohamed Shaikh Marg, Khanpur,
AHMADABAD 380001 { 2 63 48
2 63 49

'F' Block Unity Bldg, Narasimharaja Square,
BANGALORE 560002 22 48 05

Gangotri Complex, Bhadbhada Road, T. T. Nagar,
BHOPAL 462003 6 67 16

Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002 5 36 27
53/5, Ward No. 29, R. G. Barua Road 5th Byelane,
GUWAHATI 781003 —

5-8-56C L. N. Gupta Marg, HYDERABAD 500001 23 10 83

R14 Yudhister Marg, C Scheme, JAIPUR 302005 6 98 32

117/418 B Sarvodaya Nagar, KANPUR 208005 21 68 76

Patliputra Industrial Estate, PATNA 800013 6 23 05

Hantex Bldg (2nd Floor), Rly Station Road,
TRIVANDRUM 695001 7 66 37

Inspection Office (With Sale Point) :

Pushpanjali 205-A West High Court Road '
Bharampeth Extension, NAGPUR 440010 2 51 71

Institution of Engineers (India) Building, 1332 Shivaji Nagar,
PUNE 411005 5 24 35

*Sales Office in Bombay is at Novelty Chambers, Grant Road,
Bombay 400007 89 65 28

†Sales Office in Calcutta is at 5 Chowringhee Approach, P O. Princep
Street, Calcutta 700072 27 68 05